IPC-4U840-W880-6L

· ATX Micro-ATX Mini-ITX

· 2 3.5 1 2.5

· 7 PCI/PCIE

IPC-4U840-W880-6L

		Intel LGA1851 Gen15 Ultra 5/7/9 2 CPU TDP 125W
		Intel® W880
	BIOS	AMI UEFI BIOS
		Intel CPU (CPU)
		4 DDR5 UDIMM , ECC , 48GB, 192GB 5600
I/O	USB	6 USB3.0 2 USB2.0
	COM	6 (COM1&2 RS232/422/485,COM3-6 RS232) 1 PCIE
	LED	POWER LED HDD LED
	PCIE / PCI	7 PCI/PCIE 6 PCIE 1 PCI
	Interface	VGA+DP+HDMI
	Storage Device	4 SATA 3.0 (6 Gb/s) Ports SATA Raid 0/1/5/10 2 M.2 2242/2280 Key-M Raid0/1 (M2-KEYM1 NVME,M2-KEYM2 SATA/Nvme)
	Drive Bay	2 3.5 ” 1 2.5"
	Audio Codec	Realtek ALC897
	Audio Interface	MIC-In, Speaker-Out, Line-In
	LAN	6 Intel : LAN1: i219LM; LAN2~6: i210AT
	Power Input	ATX
	Power Interface	ATX/AT
	OS Supports	Win10 x64 Win11 x64 Linux Ubuntu 22.04
	Watchdog Timer	255 /
	TPM	SLB9670 TPM2.0
	System Fan	1 12025 , 2 6025
	Dimensions	430mm *178mm *450mm (W x H x D)
	Weight	15KG
	Mounting	Desk/Rackmount
	Operating Temp.	0 45
	Storage Temp.	-40 55
	Humidity	20% 80% 20% 93%(40)
	Shock	1Grms@5~500Hz , 2Grms@5~500Hz
	Vibration	3 10G 11ms , 3 /

IPC-4U840-W880-6L

				SATA	LAN	USB3	USB2	COM	PCIE PCI
IPC-4U840	W880	300W~1300W	3	3	6	6	2	5	7

400305989900	IPC-4U840 ٩
400305990000	IPC-4U840 ١, h ,L=1.5M, ,ّس

DDR5 8G	DDR5 8GB,4800MHz,UDIMM
DDR5 16G	DDR5 16GB,5600MHz,UDIMM
DDR5 32G	DDR5 32GB,5600MHz,UDIMM
SSD 256GB	256GB,2.5 inch,SATA 6Gb/s
SSD 512GB	512GB,2.5 inch,SATA 6Gb/s
SSD 1TB	1TB,2.5 inch,SATA 6Gb/s
HDD 1TB	1TB,64M,SATA 6Gb/s,3.5inch,5400Rpm
HDD 2TB	2TB,256M,SATA 6Gb/s,3.5inch,7200Rpm
HDD 4TB	4TB,256M,SATAIII,3.5inch,7200Rpm
HDD 10TB	10TB,256M,SATA 6Gb/s,3.5inch,7200Rpm

所有产品规格如有更改，不